




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61B 17/072, 17/00	A1	(11) International Publication Number: WO 98/38923 (43) International Publication Date: 11 September 1998 (11.09.98)
(21) International Application Number: PCT/US98/04028 (22) International Filing Date: 3 March 1998 (03.03.98) (30) Priority Data: 08/810,054 4 March 1997 (04.03.97) US (71) Applicant: MEDTRONIC, INC. [US/US]; 7000 Central Avenue Northeast, Minneapolis, MN 55432 (US). (72) Inventor: MYERS, David, J.; 6571 Pickett Avenue, Garden Grove, CA 92645 (US). (74) Agents: FORREST, Peter et al.; Medtronic, Inc., MS 301, 7000 Central Avenue Northeast, Minneapolis, MN 55432 (US).		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: BIOPROTHESIS FILM STRIP FOR SURGICAL STAPLER AND METHOD OF ATTACHING THE SAME

**(57) Abstract**

A bioprosthesis sealing film strip is attached to a surgical stapler by passing a jaw of the stapler through openings formed in the ends of the strip. Following stapling, the strip is released by making a cut from the opening to the edge of the strip. Alternatively, one end of the strip may be releasably secured to pins formed on the jaws.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

BIOPROSTHESIS FILM STRIP FOR SURGICAL STAPLER AND METHOD OF ATTACHING THE SAME

Field of the invention

5 This invention relates to surgical stapling guns, and more particularly to a bioprosthesis film strip to prevent air leaks at the staples in lung surgery, and to a method of attaching the strip to a stapling gun.

Background of the invention

10 In various soft tissue surgery applications such as, for example, the resection of diseased lung tissue, surgeons use linear stapling guns to staple together layers of tissue on each side of a proposed cut along which the diseased tissue is to be severed from the healthy tissue. These stapling guns consist of a pair of elongated jaws which are clamped over, e.g., a lung from which a cancerous lobe is to be removed. One of the jaws carries a cartridge containing parallel rows of biocompatible staples
15 positioned end-to-end, while the other carries parallel rows of anvils for those staples. Once the staples have been placed, a scalpel is drawn lengthwise between the staple rows to sever one stapled lung portion from the other.

20 Because of the nature of lung tissue, air leakage occurs at the points where the staples pierce the lung tissue. This leakage continues until the lung tissue heals around the staples, thus requiring lengthy hospitalization of the patient. To mitigate this problem, it has been proposed to drive the staples through a bioprosthetic film, which can act as a gasket or sealant to the lung tissue punctured by the staples. Suitable materials for this purpose are natural materials such as glutaraldehyde fixed bovine pericardium, or man-made materials such as collagen absorbable hemostat,
25 vicryl (polygalactin) mesh, or ePTFE (expanded polytetrafluoroethylene).

30 A problem arises when strips of these materials are to be applied to the jaws of the stapler in such a way that they can be conveniently released from the jaws after the stapling operation. For example, one prior method involves suturing a strip of bioprosthetic film to a strip of polyethylene backing to form a sleeve. One of these sleeves is then slipped over each jaw of the stapler, with the strip facing inward. After

the stapling operation, the edges of the strips must be cut free of the backing and sutures, which are discarded. This method requires caution on the part of the surgeon to avoid leaving remnants of the backing or sutures in the patient.

Other methods of attachment have involved the use of glue or adhesive tape, but none of these are simple and satisfactory. A need therefore exists for a method of attaching a bioprosthetic film strip to a stapler jaw which is easy, reliable and allows the strip to be readily severed from the jaw.

Summary of the invention

The present invention fulfills the above-identified need by providing a flat bioprosthetic film strip with apertured ends. In one preferred embodiment of the invention, the perforated ends of the strip are simply turned out of the plane of the strip, and the jaw is slipped through them.

After the stapling, the strip can be released from the jaws in the preferred embodiment by cutting the strip adjacent the apertures, and the entire strip can be left in the patient.

In another preferred embodiment of the invention, the strip can be secured to the jaw at the proximal end or at both ends with the aid of retaining pins from which it can slip off when the jaws are opened following the stapling procedure.

Brief description of the drawings

Fig. 1a is an elevational view of a lung showing a stapled and severed lobe;
Fig. 1b is a section of the severed lobe edges along line 1b-1b of Fig. 1a;
Fig. 2 is a perspective view of a typical stapling gun used for the stapling operation of Fig. 1;

Fig. 3 is a plan view of a preferred embodiment of a bioprosthetic film strip used in the invention;

Fig. 4 is a perspective view of the jaws of the stapler of Fig. 2 with the strips of Fig. 3 attached;

Fig. 5 is a plan view of a bioprosthetic film strip in an alternative embodiment of the invention; and

Fig. 6 is a perspective view of a stapler using the strip of Fig. 5a;

Fig. 7 is a side elevation of stapler jaws with the strip of Fig. 3 attached; and Fig. 8 is a section along line 8-8 of Fig. 7.

Description of the preferred embodiment

5 Fig. 1 illustrates an environment in which the present invention is useful. In that figure, it will be assumed that a lung 10 has a lobe 12 which is diseased and must be surgically removed. This is done by compressing the lung 10 between the jaws of a stapler 14 (Fig. 2) along a line 16 and stapling the lung with two parallel sets of rows of surgical staples 18 on each side of the line 16. The lung tissue is then cut
10 along line 16 by a scalpel blade 17 traveling along a channel 19 (Fig. 8) between the two sets of rows. Typically, several overlapping stapled cuts are made at an angle to each other (see Fig. 1a).

 In order to prevent excessive air leak from the lung tissue 20 (Fig. 1b) where it has been perforated by the staples 18, the staples 18 are conventionally driven through
15 strips of a bioprosthetic sealing material 22 such as bovine pericardium, collagen absorbable hemostat, vicryl mesh or ePTFE. These materials effectively seal the punctured lung.

 Fig. 2 illustrates the stapler 14 which is used in the above-described procedure. The stapler 14 includes a handle 24 and a pair of jaws 26, 28. The jaws 26, 28 can be
20 widely separated, like the jaws of pliers, prior to use, and then closed and compressed against each other in use. The jaw 26 carries a cartridge of staples 18, while the jaw 28 carries the anvil 30. In the use of the stapler 14, strips of the sealing material 22 (Figs. 3 and 4) are placed over the staples 18 on jaw 26, and over the anvil 30 on the jaw 28. The strips 22 must be so mounted on the jaws 26, 28 that they are firmly held
25 on the jaws 26, 28 but can be quickly and simply detached from the jaws 26, 28 in order to allow the jaws 26, 28 to be separated following the stapling.

 Prior art solutions to this problem have included several different approaches. In one approach, a polymer backing was sutured to the strips 22 along their
longitudinal edges, so that the strip and backing would form a sleeve which could be
30 slipped over the jaws 26, 28. Following application of the staples, the sutures were

cut, and the backing was removed. This was unsatisfactory because it required the cutting of a substantial number of sutures and the removal of the backing, all while holding the stapler in the closed position - a task sometimes exacerbated by misalignment of the sleeve with the jaw. Thus, this prior art approach presented a risk of accidentally leaving backing and suture fragments in the patient.

In another approach, biocompatible adhesives or adhesive tape were used to temporarily secure the strips 22 to the jaws 26, 28 but allow them to separate from the jaws when the jaws were opened. This was also unsatisfactory because it introduced additional foreign substances into the body, and because a repeatable acceptable compromise between sufficient adhesion for handling and sufficient releasability to avoid damaging the strips 22 after stapling was difficult to attain.

In accordance with a preferred embodiment of the invention, the above-described disadvantages are eliminated by providing strips 22 which extend longitudinally beyond the stapling area of the jaws 26, 28, and which have at least one hole, of a diameter approximating the diameter of the jaws, formed in the extended portion.

Fig. 3 shows that preferred embodiment of the invention. In that embodiment, the strip 22 has a central portion 32 whose length corresponds to the length of the stapling area of the jaw 26 or 28. At each end of the central portion 32, the strip 22 has an extension 34a or 34b. In the embodiment of Fig. 3, the extensions 34a has formed therein an opening 36a of appropriate size and shape (preferably rounded to provide an interference fit along the corners of the square jaws 26, 28) to allow passage of the jaw 26 or 28 therethrough. Preferably, the opening 36a in extension 34a is small enough to fit snugly over the distal end of jaw 26 or 28. In the extension 34b, an opening 36b is formed, and the strip 22 is cut along line 39. When the outer end of the extension 34b is lifted out of the plane of strip 22, the tongue 35 remains in the plane of the strip 22. The opening 36b in extension 34b is large enough to fit somewhat loosely, though with a small interference fit, over the proximal end of jaw 26 or 28.

The actual size of the openings 36a and 36b is dictated by several factors. On the one hand, the openings 36 must be large enough to allow the surgeon or stapler operator to slip or slide the strip 22 along the jaws 26, 28, yet small enough to hold the strip in position on the jaws 26, 28. On the other hand, the openings 36a and 36b must not be so small as to cause difficulty in slipping the strip 22 onto the jaws 26, 28, or to risk tearing the strip 22 during installation. As a practical matter, the openings 36a and 36b may be about 0.5-1.0 cm in diameter, the exact size depending upon the size and geometry of the jaws 26, 28. The strip 22 may, for example, be about 2 cm wide for a staple cartridge width of 1 cm.

In a typical stapler (Figs. 2 and 7), the staple cartridge 18 extends all the way to the proximal end of the jaw 26. Because the end portion 34b of the strip 22 lies at an angle to the jaw 26 or 28 (Fig. 7) when in stapling position, the end portion 34b is pre-cut along line 39 (Fig. 3). By bending the outer end of the extension 34b out of the plane of the strip 22, the opening 36b can be slipped over the end of the jaw, but the tongue 35 remains in the plane of strip 22 and covers the staple cartridge 18 or anvil 30 all the way to the proximal end of the jaw 26 or 28.

In use, the extensions 34a and 34b are bent out of the plane of the strip 22, as shown in Fig. 4, and are simply slipped over the jaw 26 or 28. The resiliency of the flexible strip material (e.g. bovine pericardium) holds the strip 22 securely to the jaw 26 or 28. Following the stapling operation, the scalpel blade 17 is actuated to cut the lung tissue and the strips 22 along the dotted line 37. To release the strips 22 from the stapler, scalpel cuts are made by the operator at 38 in the protruding end portions 34a and 34b. Because in a typical stapler, the blade 17 does not travel all the way to the distal end of the stapling cartridge 18 (see Fig. 7), a further scalpel cut is needed at 43 after the jaws 26, 28 are removed to completely sever the healthy lung tissue and stapled strip halves from the diseased lung tissue and the stapled strip halves associated therewith.

Figs. 5a and 6 illustrate another preferred embodiment of the invention. In that embodiment, the stapler 14 has one or more pins 40 formed at the proximal end of at least one of the jaws 26, 28. The extension 34b has formed therein not a large

opening 36b, but rather one or more small openings 42 that are preferably slightly smaller in diameter than the pins 40.

In the embodiment of Figs. 5 and 6, the strips 22 are attached to the jaws 26, 28 by slipping opening 36 in extension 34a over the jaw 26 or 28, and then slipping the openings 42 of both strips 22 over the pins 40 on the jaw 26. The resilience of the strip material holds the strip 22 on the pins 40 prior to stapling but allows the strip 22 to easily be pulled free of the pins 40 when the jaws 26, 28 are opened following stapling. It would also be possible to use pins 40 on both jaws 26, 28 and small openings 42 on both ends of the strip 22, in which case the opening 36 is unneeded (Fig. 5b). In that case, the strips 22 can be secured by simply hooking the openings 42 over the pins 40 and pushing the strips 22 against the stapling surfaces of the jaws 26, 28. With the diameter of the openings 42 being slightly smaller than the diameter of the pins 40, a firm but readily releasable engagement of the openings 42 with the pins 40 is achieved.

It is understood that the exemplary bioprosthesis film strips for surgical stapler described herein and shown in the drawings represent only presently preferred embodiments of the invention. Indeed, various modifications and additions may be made to such embodiments without departing from the spirit and scope of the invention. Thus other modifications and additions may be obvious to those skilled in the art and may be implemented to adapt the present invention for use in a variety of different applications.

CLAIMS

1. A sealing strip for sealing staple punctures in soft tissue surgery, comprising:

a) a central elongated area adapted to receive surgical staples

therethrough;

b) an extension on each end of said central area, each of said extensions having formed therein at least one opening adapted to allow said strip to be temporarily secured to a jaw of a surgical stapler.

2. The sealing strip of Claim 1, in which said opening in at least one of said extensions is large enough for said jaw to pass therethrough.

3. The sealing strip of Claim 2, in which said opening in both said extensions is large enough for said jaw to pass therethrough.

4. The sealing strip of Claim 1, in which said sealing strip is formed of animal pericardium.

5. In combination, a surgical stapler having a pair of jaws carrying, respectively, rows of staples and an anvil, and an elongated strip mounted on each of said jaws, said sealing strip comprising:

a) a central area of a length substantially equal to the length of said staple rows;

b) an extension on each end of said central area, each of said extensions having formed therein at least one opening arranged to allow said strip to be secured to said jaw.

6. The sealing strip of Claim 5, in which said opening in at least one of said extensions is large enough for said jaw to pass therethrough.

7. The sealing strip of Claim 5, in which said opening in both said extensions is large enough for said jaw to pass therethrough.

5 8. The sealing strip of Claim 5, in which said sealing strip is formed of animal pericardium.

9. The combination of Claim 5, in which at least one of said jaws has pins formed thereon, and one of said extensions has formed therein openings adapted to releasably engage at least one of said pins.

10 10. The combination of Claim 9, in which the other of said extensions of said strip is secured to one of said jaws by passing said jaw through an opening formed in said extension.

15 11. The combination of Claim 5, in which both of said extensions of said strip are secured to one of said jaws by passing said jaw through openings formed in said extensions.

20 12. A method of releasably securing a sealing strip to a jaw of a surgical stapler arranged to drive rows of staples through said sealing strip, comprising the steps of:

a) providing an elongated strip of biocompatible sealing material having a central portion of substantially the same length as said staple rows, and extensions on each end of said central portion, said extensions each having at least one opening formed therein;

25 b) bending at least one of said extensions out of the plane of said strip into a position substantially perpendicular to said jaw;

c) passing said jaw through said opening;

d) temporarily securing the other of said extensions to said jaw; and

30 e) following a stapling operation, cutting said at least one of said extensions outwardly of said opening to disengage said strip from said jaw.

13. The method of Claim 12, in which said other extension is secured to said jaw by passing said jaw through an opening therein.

5 14. The method of Claim 12, in which said other extension is secured to said jaw by engaging at least one opening in said other extension with a pin formed on said jaw.

10 15. The sealing strip of Claim 1, in which said opening in one of said extensions is smaller than that in the other.

16. The combination of Claim 5, in which said jaws have upstanding pins formed thereon, and said openings in said ends of said central area are aligned with, and of slightly smaller diameter than, said pins.

15 17. A sealing strip for sealing staple punctures in soft tissue surgery, comprising:

a) a central flat elongated area adapted to receive surgical staples therethrough;

20 b) a first extension formed on one end of said central area, said first extension having formed therein at least one opening adapted to allow said strip to be temporarily secured to a jaw of a surgical stapler; and

25 c) a second extension formed on the other end of said central area, said extension having a cut therein of such extent and shape that, when a said portion of second extension is bent out of the plane of said strip, the bent portion defines an opening adapted to be slipped over said jaw, while the remainder remains in said plane of said strip to form a flat extension of said central area.

1 / 5




FIG. 1a




FIG. 1b




FIG. 2

3 / 5




FIG. 3




FIG. 4

4 / 5




FIG. 5a




FIG. 5b




FIG. 6

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/04028

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61B17/072 A61B17/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 065 536 A (MEDICAL ENGINEERING INSTITUTE) 1 July 1981 see page 1, line 112 - line 119; figures 1,6	1-3,5-7, 11,15
Y	see page 2, line 31 - line 33	9,10,16
A	---	17
X	W0 97 01989 A (FRATER) 23 January 1997 see page 3, paragraph 2; figure 10	1,4,5,8
A	---	16
Y	GB 1 158 113 A (USSC) 16 July 1969 see page 3, line 30 - line 33	9,10,16
A	---	
A	US 5 065 929 A (SCHULZE) 19 November 1991 see figures 1,2	9,10,16
A	---	
	EP 0 667 119 A (BIO-VASCULAR) 16 August 1995	

	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

° Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

26 June 1998

Date of mailing of the international search report

02.07.98

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Barton, S

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 98/04028

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 263 629 A (TRUMBULL) 23 November 1993 -----	

INTERNATIONAL SEARCH REPORT

International Application No.
PCT/US 98/04028

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.: 12-14
because they relate to subject matter not required to be searched by this Authority, namely:
see FURTHER INFORMATION sheet PCT/ISA/210
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☒ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International Application No. PCT/US 98/04028

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

It is to be noted that while claim 12 does not itself explicitly define a surgical step, and while the mounting of the device of claim 1 on the stapler is not of itself a surgical step, step 12 e) both implies the execution of surgical stapling as a precursor to that step and as indicated in the description takes place entirely within an operation site, as a result of which claims 12-14 falls within the exclusion provided by Rule 39.1(iv) PCT.

Claims Nos.: 12-14

Rule 39.1(iv) PCT - Method for treatment of the human or animal body by surgery

INTERNATIONAL SEARCH REPORT

International Application No. PCT/US 98/04028

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-8,11,15,17

Strip attached to stapler jaw, the jaw being passed through holes in strip.

2. Claims: 5,9,10,16

Strip attached to stapler jaw, the pins provided on the jaw being passed through holes in strip.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Appl. No.

PCT/US 98/04028

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
GB 2065536	A	01-07-1981	SU 1022703 A	15-06-1983
			CA 1162812 A	28-02-1984
			DE 3046365 A	17-09-1981
			FR 2471771 A	26-06-1981
			JP 56097442 A	06-08-1981
			US 4397311 A	09-08-1983

WO 9701989	A	23-01-1997	NONE	

GB 1158113	A	16-07-1969	GB 1158112 A	16-07-1969
			DE 1541176 A	19-03-1970
			FR 1498424 A	10-01-1968
			GB 1158111 A	16-07-1969
			SE 390105 B	06-12-1976
			SE 376166 B	12-05-1975
			SE 7408204 A	20-06-1974

US 5065929	A	19-11-1991	AT 140863 T	15-08-1996
			AU 645610 B	20-01-1994
			AU 8564291 A	08-10-1992
			CA 2052697 A	02-10-1992
			DE 69121189 D	05-09-1996
			DE 69121189 T	02-01-1997
			EP 0507029 A	07-10-1992
			ES 2089146 T	01-10-1996
			GR 91100411 A,B	16-03-1993
			JP 4327843 A	17-11-1992

EP 667119	A	16-08-1995	US 5503638 A	02-04-1996
			CA 2139830 A	11-08-1995
			DE 69500014 D	22-08-1996
			DE 69500014 T	20-02-1997
			JP 8033641 A	06-02-1996
			US 5549628 A	27-08-1996
			US 5575803 A	19-11-1996

US 5263629	A	23-11-1993	AU 4161193 A	06-01-1994
			CA 2099328 A	30-12-1993
			EP 0577373 A	05-01-1994
			GR 1001601 B	30-06-1994

INTERNATIONAL SEARCH REPORT

Information on patent family members

International App. No.

PCT/US 98/04028

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5263629 A		JP 6054857 A	01-03-1994
